

CLINICAL PHARMACOLOGY and THERAPEUTICS

Editor

Walter Modell, M.D.

Sylvia Sokolsky, assistant to the Editor

Editorial Board

William T. Beaver, M.D.	Joseph B. Kirsner, M.D., Ph.D.
Karl H. Beyer, Jr., M.D., Ph.D.	Kenneth G. Kohlstaedt, M.D.
Hylian A. Bickerman, M.D.	Herbert S. Kupperman, Ph.D., M.D.
Edward A. Carr, Jr., M.D.	Louis Lasagna, M.D.
Lord Cohen of Birkenhead, M.D., D.Sc., LL.D., F.R.C.P.	D. R. Laurence, M.D.
Allan H. Conney, Ph.D.	Gerhard Levy, Pharm.D.
T. S. Danowski, M.D.	T. A. Loomis, M.D., Ph.D.
Arthur C. DeGraff, M.D.	Lois P. McCorkle, M.D.
Peter Dineen, M.D.	Donald Mainland, M.B., D.Sc.
Alan K. Done, M.D.	Tag E. Mansour, M.D.
David P. Earle, M.D.	Sidney Merlis, M.D.
Henry W. Elliott, M.D., Ph.D.	Carl C. Pfeiffer, Ph.D., M.D.
Arthur Grollman, M.D.	R. K. Richards, M.D.
Franz Gross, M.D.	Albert Sjoerdsma
Arthur Hull Hayes, Jr., M.D.	Marian B. Sulzberger, M.D.
Leo E. Hollister, M.D.	Jay Tepperman, M.D.
Ernest Jawetz, M.D., Ph.D.	Leroy D. Vandam, M.D.
David A. Karnofsky, M.D.	Andrew Wilson, M.D.
Richard H. Kessler, M.D.	Graham M. Wilson, M.D., F.R.C.P., F.R.C.P.E.

Volume 10, January-December, 1969

The C. V. Mosby Company, St. Louis

Volume 10
Copyright © 1969 by
The C. V. Mosby Company

All rights reserved

Printed in the United States of America

Index to volume 10

Author index

A

ABRAHAM, JUAN. (See Peña, Ruiz, and Abraham), 110
ABRAMS, WILLIAM B., AND SOLOMON, HARVEY. M. The human platelet as a pharmacologic model for the adrenergic neuron, 702
—. (See Joubert, Gaut, and Abrams), 250
—. (See Pettinger et al.), 667
—. (See Solomon et al.), 229
ALLEY, R. A., TSAI, C. T., MORGAN, C. R., ROBBINS, T. J., SABEH, G., HOFMANN, K., AND DANOWSKI, T. S. Serum free fatty acids, growth hormone, and insulin during trials of ACTH and synthetic subunits, 515
ALVARES, ALVITO P., SCHILLING, GAYLE, LEVIN, WAYNE, KUNTZMAN, RONALD, BRAND, LEONARD, AND MARK, LESTER C. Cytochrome P-450 and b_5 in human liver microsomes, 655
AMATRUDA, THOMAS T., Jr. (See Hollingsworth and Amatruda), 540
ANDERSSON, SVEN. (See Sjöqvist et al.), 826
ARIET, MARIO. (See Gravenstein, Ariet, and Thornby), 660
ASHLEY, CONSTANCE. (See Solomon et al.), 229
ASLING, JOSEPH H. (See Berkowitz et al.), 320
AZARNOFF, DANIEL L. (See Kolmodin, Azarnoff, and Sjöqvist), 638

B

BANNER, MARC P. (See Rouge, Banner, and Smith), 643
BARRY, KEVIN G. (See Brooks et al.), 85
—. (See Gilliland et al.), 551
BARTELLONI, PETER J. (See Brooks et al.), 85
BAUKEMA, J. (See Glazko et al.), 498
BEAVER, W. T., WALLENSTEIN, S. L., HOUDE, R. W., AND ROGERS, ADA. A comparison of the analgesic effects of profadol and morphine in patients with cancer, 314
BEECHER, HENRY K. (See Smith and Beecher), 213
BEER, E. GEORGE. (See Forrest et al.), 468
—. (See Paddock et al.), 355

January-February, pp. 1-146; March-April, pp. 147-286; May-June, pp. 287-430; July-August, pp. 431-596; September-October, pp. 597-754; November-December, pp. 755-922.

BELLVILLE, J. WELDON. (See Forrest et al.), 468
—. (See Paddock et al.), 355
BERGLUND, FREDRIK. (See Sjöqvist et al.), 826
BERKOWITZ, BARRY A., ASLING, JOSEPH H., SHNIDER, SOL M., AND WAY, E. LEONG. Relationship of pentazocine plasma levels to pharmacological reactivity in man, 320
—, AND WAY, E. LEONG. Metabolism and excretion of pentazocine in man, 681
BIANCHINE, JOSEPH R. (See Weiss et al.), 401
BLUMBERG, ARNOLD G., AND KLEIN, DONALD F. Chlorpromazine-procyclidine and imipramine; effects on thyroid function in psychiatric patients, 350
BODEY, GERALD P. The effect of amphotericin B on the fungal flora in feces, 675
BORGÅ, OLOF. (See Sjöqvist et al.), 826
BRAND, LEONARD. (See Alvares et al.), 655
BROMER, L. (See Smith, Thurm, and Bromer), 338
BROOKS, MARION H., MALLOY, JOHN P., BARTELLONI, PETER J., SHEEHY, THOMAS W., AND BARRY, KEVIN G. Quinine, pyrimethamine, and sulphorthodimethoxine: Clinical response, plasma levels, and urinary excretion during the initial attack of naturally acquired falciparum malaria, 85
—. (See Gilliland et al.), 551
BROSS, I. D. J., SCHMIDT, M. L., DAO, T. L., AND NEMOTO, T. A statistical solution to an ethical problem, 307
BROTHERTON, P. M., GRIEVESON, PHILLIDA, AND McMARTIN, C. A study of the metabolic fate of chlorpropamide in man, 505
BROWN, HAROLD W. Anthelmintics, new and old, 5
BRUTON, JOSEPH. (See Gilliland et al.), 551
BUCHANAN, R. A. (See Glazko et al.), 498
BURNS, J. J. (See Welch et al.), 817

C

CHANG, T. (See Glazko, et al.), 498
CHU, FLORENCE, C. H., PAULSHOCK, MARVIN, WALLENSTEIN, STANLEY L., HOUDE, RAYMOND W., AND PHILLIPS, RALPH. A controlled clinical trial of metopimazine and perphenazine in treatment of radiation nausea and vomiting, 800

CILIBERTI, BENJAMIN J. (See Forrest et al.), 468
—. (See Paddock et al.), 355

COMBS, HAROLD F. (See Decker et al.), 710

Committee on Problems of Drug Safety of the Drug Research Board, National Academy of Sciences-National Research Council. Application of metabolic data to the evaluation of drugs, 607

CONKLIN, JOHN D., AND HAILEY, FRANCIS J. Urinary drug excretion in man during oral dosage of different nitrofurantoin formulations, 534

CONNEY, A. H. (See Welch et al.), 100, 817

CONOLLY, M. E. (See Dollery, Paterson, and Connolly), 765

CORBY, DONALD G. (See Decker et al.), 710

CUTLER, RALPH E. (See Orme and Cutler), 543

D

DALE, SIDNEY L. (See Melby and Dale), 344

DANOWSKI, T. S. (See Alley et al.), 515

DAO, T. L. (See Bross et al.), 307

DAYTON, PETER G. (See Perel et al.), 834

DECKER, WALTER J., SHPALL, ROBERT A., CORBY, DONALD G., COMBS, HAROLD F., AND PAYNE, CARL E. Inhibition of aspirin absorption by activated charcoal and apomorphine, 710

DILL, W. A. (See Glazko et al.), 498

DiMASCIO, ALBERTO. (See Greenblatt et al.), 530

DITTERT, LEWIS W. (See Doluisio and Dittert), 690

DODDS, CHARLES. Oral contraceptives: The past and future, 147

DOLLERY, C. T., PATERSON, J. W., AND CONOLLY, M. E. Clinical pharmacology of beta-receptor-blocking drugs, 765

DOLUISIO, JAMES T., AND DITTERT, LEWIS W. Influence of repetitive dosing of tetracyclines on biologic half-life in serum, 690

DOMINO, EDWARD F., AND VON BAUMGARTEN, ALONA M. Tobacco cigarette smoking and patellar reflex depression, 72

—. (See Sagales, Erill, and Domino), 522

DUJOVNE, CARLOS A. (See Weiss et al.), 401

E

ERILL, SERGIO. (See Sagales, Erill, and Domino), 522

ESTES, J. WORTH, PELIKAN, EDWARD W., AND KRÜGER-THIEMER, EKKEHARD. A retrospective study of the pharmacokinetics of heparin, 329

F

FERGUSON, ROGER K., AND MITCHELL, C. L. Pain as a factor in the development of tolerance to morphine analgesia in man, 372

FINSTER, M. (See Welch et al.), 100

FITZGERALD, J. D. Perspectives in adrenergic beta-receptor blockade, 292

FORREST, WILLIAM H., JR., BEER, E. GEORGE, BELLVILLE, J., WELDON, CILIBERTI, BENJAMIN J., MILLER, ELLIOTT V., AND PADDICK, RICHARD. Analgesic and other effects of the *d*- and *l*-isomers of pentazocine, 468
—. (See Paddock et al.), 355

G

GAUT, Z. (See Joubert, Gaut, and Abrams), 250

GELBER, ROBERT, JACOBSEN, PETER, AND LEVY, LOUIS. A study of the availability of six commercial formulations of isoniazid, 841

GILLILAND, PAUL F., BROOKS, MARION H., BRUTON, JOSEPH, AND BARRY, KEVIN G. Effect of antimalarial drugs and collection methods on urinary and plasma 17-hydroxycorticosteroid determinations, 551

GLAZKO, A. J., CHANG, T., BAUKEMA, J., DILL, W. A., GOULET, J. R., AND BUCHANAN, R. A. Metabolic disposition of diphenylhydantoin in normal human subjects following intravenous administration, 498

GLONTZ, GARY E. (See Perkins, Glontz, and Saslaw), 244

GOLDBERG, LEON I. (See Rahn and Goldberg), 858

GOLDSTEIN, AVRAM, AND KAIZER, SOPHIA. Psychotropic effects of caffeine in man. III. A questionnaire survey of coffee drinking and its effects in a group of housewives, 477
—, —, AND WHITBY, OWEN. Psychotropic effects of caffeine in man. IV. Quantitative and qualitative differences associated with habituation to coffee, 489

GOMMI, P. J. (See Welch et al.), 100

GOULET, J. R. (See Glazko, et al.), 498

GRAVENSTEIN, J. S., ARIET, MARIO, AND THORNBY, J. I. Atropine on the electrocardiogram, 660
—, AND THORNBY, J. I. Scopolamine on heart rates in man, 395

GRAYBIEL, ASHTON. (See Miller and Graybiel), 92

GREENBLATT, DAVID J., DiMASCIO, ALBERTO, MESSIER, MICHAEL, AND STOTSKY, BERNARD. Magnesium permolide and job performance in mentally handicapped workers, 530

GRIEVESON, PHILLIDA. (See Brotherton, Grieveson, and McMartin), 505

GROLLMAN, ARTHUR. Pathogenesis of hypertension and implications for its therapeutic management, 755

GULATI, RAVINDRA B. (See Mutalik and Gulati), 635

GUTMAN, ALEXANDER B. (See Perel et al.), 834

H

HAHN, MARY ANNE. (See Liegler et al.), 849
HAILEY, FRANCIS J. (See Conklin and Hailey), 534
HAMMER, WOLFGANG, MÄRTENS, STEN, AND SJÖQVIST, FOLKE. A comparative study of the metabolism of desmethylimipramine, nortriptyline, and oxyphenylbutazone in man, 44
—. (See Sjöqvist et al.), 826
HARRISON, DONALD C. (See Perlroth and Harrison), 449
HARRISON, Y. E. (See Welch et al.), 100, 817
HARTHON, LENNART. (See Svedmyr, Harthon, and Lundholm), 559
HENDERSON, EDWARD S. (See Liegler et al.), 849
HERSEY, ROSCOE M. (See Weiss et al.), 401
HOFMANN, K. (See Alley et al.), 515
HOLLINGSWORTH, DOROTHY R., AND AMATRUDA, THOMAS, T., JR. Toxic and therapeutic effects of EMTU in obesity, 540
HOLLISTER, LEO E. Clinical use of psychotherapeutic drugs: Current status, 170
—. (See Overall et al.), 36
HOUDE, RAYMOND W. (See Beaver et al.), 314
—. (See Chu et al.), 800

J

JACOBSEN, PETER. (See Gelber, Jacobsen, and Levy), 841
JAFFE, JULIAN J. (See MacDonald et al.), 80
JARVIK, MURRAY E. (See Wolff et al.), 217
JENKINS, BERNARD. (See Maass et al.), 366
JOUBERT, L., GAUT, Z., AND ABRAMS, W. B. A new approach to the use of histamine skin tests in the study of antihistamine drugs, 250

K

KAIZER, SOPHIA (See Goldstein and Kaizer), 477
—. (See Goldstein, Kaizer, and Whitby), 489
KANTOR, THOMAS G. (See Wolff et al.), 217
KAPLAN, KENNETH. (See Meyers, Kaplan, and Weinstein), 810
KIMBELL, ISHAM, JR. (See Overall et al.), 36
KINGSBURY, JOHN M. Phytotoxicology. I. Major problems associated with poisonous plants, 163
KLEIN, DONALD F. (See Blumberg and Klein), 350
KOLMODIN, BIRGITTA, AZARNOFF, DANIEL L., AND SJÖQVIST, FOLKE. Effect of environmental factors on drug metabolism: Decreased plasma half-life of antipyrine in workers exposed to chlorinated hydrocarbon insecticides, 638

KORN, A. (See Pettinger et al.), 667

KORNETSKY, CONAN. (See Orzack, Taylor and Kornetsky), 258
KRÜGER-THIEMER, EKEHARD. (See Estes, Pelikan, and Krüger-Thiemer), 329
KUNTZMAN, RONALD. (See Alvares et al.), 655

L

LANT, ARIEL F., SMITH, ANTHONY J., AND WILSON, GRAHAM M. Clinical evaluation of amiloride, a potassium-sparing diuretic, 50
LASKA, EUGENE. (See Wolff et al.), 217
LEONARDS, JACK R., AND LEVY, GERHARD. Reduction or prevention of aspirin-induced occult gastrointestinal blood loss in man, 571
LEVIN, WAYNE. (See Alvares et al.), 655
LEVY, GERHARD. (See Leonards and Levy), 571
—. (See Nagashima, O'Reilly, and Levy), 22
LEVY, LOUIS. (See Gelber, Jacobsen, and Levy), 841
LIEGLER, DONALD G., HENDERSON, EDWARD S., HAHN, MARY ANNE, AND OLIVERIO, VINCENT T. The effect of organic acids on renal clearance of methotrexate in man, 849
LUNDHOLM, LENNART. (See Svedmyr, Harthon, and Lundholm), 559

M

MAASS, ALFRED R., JENKINS, BERNARD, SHEN, YVONNE, AND TANNENBAUM, PHILIP. Studies on absorption, excretion, and metabolism of ³H-reserpine in man, 366
MACARAEG, PLACIDO V. J., JR. (See Russell, Macaraeg, and Schrogie), 265
MACDONALD, MURDO G., ROBINSON, DONALD S., SYLWESTER, DAVID, AND JAFFE, JULIAN J. The effects of phenobarbital, chloral betaine, and glutethimide administration on warfarin plasma levels and hypoprothrombinemic responses in man, 80
MCMARTIN, C. (See Brotherton, Grieson, and McMartin), 505
MAINLAND, DONALD. Is the difference statistically significant?—An innocent request for quack treatment, 436
—. Statistical ward rounds, 118, 272, 407, 576, 714, 867
MALLOY, JOHN P. (See Brooks et al.), 85
MARK, LESTER C. Archaic classification of barbiturates, 287
—. (See Alvares et al.), 655
MÄRTENS, STEN. (See Hammer, Märtens, and Sjöqvist), 44

MELBY, JAMES C., AND DALE, SIDNEY L. Comparison of absorption, disposal, and activity of soluble and repository corticosteroid esters, 344

MELMON, KENNETH L., AND MORRELLI, HOWARD F. The need to test the efficacy of the instructional aspects of clinical pharmacology (Edit.), 431

MESSIER, MICHAEL. (See Greenblatt et al.), 530

MEYERS, BURT R., KAPLAN, KENNETH, AND WEINSTEIN, LOUIS. Cephalexin: Microbiological effects and pharmacologic parameters in man, 810

MILLER, EARL F., II, AND GRAYBIEL, ASHTON. Effect of drugs on ocular counterrolling, 92

MILLER, ELLIOTT V. (See Forrest et al.), 468
—. (See Paddock et al.), 355

MITCHELL, C. L. (See Ferguson and Mitchell), 372

MONCRIEF, JOHN A. Topical therapy of the burn wound: Present status, 439

MORGAN, C. R. (See Alley et al.), 515

MORRELLI, HOWARD F. (See Melmon and Morrelli) (Edit.), 431

MUTALIK, GURURAJ S., AND GULATI, RAVINDRA B. Clinical trial of bitoscanate in hookworm disease, 635

MYERS, RAYMOND H. (See Ott and Myers), 207

N

NADASDI, MIKLOS, AND ZSOTÉR, THOMAS T. The effect of meperidine on the peripheral circulation, 239

NAGASHIMA, R., O'REILLY, R. A., AND LEVY, G. Kinetics of pharmacologic effects in man: The anticoagulant action of warfarin, 22

NEMOTO, T. (See Bross et al.), 307

O

OLIVERIO, VINCENT T. (See Liegler et al.), 849

O'REILLY, R. A. (See Nagashima, O'Reilly, and Levy), 22

ORME, BURTON M., AND CUTLER, RALPH E. The relationship between kanamycin pharmacokinetics; distribution and renal function, 543

ORZACK, MARESSA HECHT, TAYLOR, CONSTANCE L., AND KORNETSKY, CONAN. A comparison of the behavioral effects of periodic administration of chlorpromazine and a "sustained release" form of chlorpromazine, 258

OTT, R. LYMAN, AND MYERS, RAYMOND H. Experimental designs for estimating effective doses, 207

OVERALL, JOHN E., HOLLISTER, LEO E., SHELTON, JACK, KIMBELL, ISHAM, JR., AND PENNINGTON, VERONICA. Broad-spectrum screening of psychotherapeutic drugs: Thiothixene as an antipsychotic and antidepressant, 36

P

PADDOCK, RICHARD, BEER, E. GEORGE, BELLVILLE, J. WELDON, CILIBERTI, BENJAMIN J., FORREST, WILLIAM H., JR., AND MILLER, ELLIOTT V. Analgesic and side effects of pentazocine and morphine in a large population of postoperative patients, 355
—. (See Forrest et al.), 468

PALMER, ROGER F. Drug misuse and physician education, 1

PARKHOUSE, JAMES. Experiments and reports (Edit.), 597

PATERSON, J. W. (See Dollery, Paterson, and Conolly), 765

PAULSHOCK, MARVIN. (See Chu et al.), 800

PAYNE, CARL E. (See Decker et al.), 710

PELIKAN, EDWARD W. (See Estes, Pelikan, and Krüger-Thiemer), 329

PEÑA, JOSÉ CARLOS, RUIZ, FRANCISCO, AND ABRAHAM, JUAN. Impaired water excretion following diuretic therapy, 110

PENNINGTON, VERONICA. (See Overall et al.), 36

PEREL, JAMES M., DAYTON, PETER G., SNELL, M., McMILLAN, YÜ, T. F., AND GUTMAN, ALEXANDER B. Studies of interactions among drugs in man at the renal level: Probenecid and sulfapyrazone, 834

PERKINS, ROBERT L., GLONTZ, GARY E., AND SAS-LAW, SAMUEL. Cephaloglycin: Crossover absorption studies and clinical evaluation, 244

PERLROTH, MARK G., AND HARRISON, DONALD C. Cardiogenic shock: A review, 449

PETTINGER, W. A., KORN, A., SPIEGEL, H., SOLOMON, H. M., POCELINKO, R., AND ABRAMS, W. B. Debrisoquin, a selective inhibitor of intraneuronal monoamine oxidase in man, 667

PHILLIPS, RALPH. (See Chu et al.), 800

POCELINKO, R. (See Pettinger et al.), 667

POPPERS, P. J. (See Welch et al.), 100

PRESCOTT, L. F. The metabolism of phenacetin in patients with renal disease, 383

R

RAHN, K., HEINZ, AND GOLDBERG, LEON I. Comparison of antihypertensive efficacy, intestinal absorption, and excretion of guanethidine in hypertensive patients, 858

RICHARDS, RICHARD K. Economics of the development of new anticonvulsant drugs, 602

ROBBINS, T. J. (See Alley et al.), 515
ROBINSON, DONALD S. (See MacDonald et al.), 80
ROGERS, ADA. (See Beaver et al.), 314
ROUGE, JEAN-CLAUDE, BANNER, MARC P., AND SMITH, THEODORE C. Interactions of levallorphan and meperidine, 643
RUÍZ, FRANCISCO. (See Peña, Ruiz, and Abraham), 110
RUSSELL, R. PATTERSON, MACARAEG, PLACIDO V. J., JR., AND SCHROGIE, JOHN J. Comparison of clorexolone, a new diuretic, with hydrochlorothiazide, 265

S

SABEH, G. (See Alley et al.), 515
SACALES, TERESA, ERILL, SERGIO, AND DOMINO, EDWARD F. Differential effects of scopolamine and chlorpromazine on REM and NREM sleep in normal male subjects, 522
SASLAW, SAMUEL. (See Perkins, Glontz, and Saslaw), 244
SCHILLING, GAYLE. (See Alvares et al.), 655
SCHMIDT, M. L. (See Bross et al.), 307
SCHROGIE, JOHN J. (See Russell, Macaraeg, and Schrogie), 265
SHEEHY, THOMAS W. (See Brooks et al.), 85
SHELTON, JACK (See Overall et al.), 36
SHEN, YVONNE. (See Maass et al.), 366
SHNIDER, SOL M. (See Berkowitz et al.), 320
SHIPALL, ROBERT A. (See Decker et al.), 710
SJÖQVIST, FOLKE, BERGLUND, FREDRIK, BORGÅ, OLOF, HAMMER, WOLFGANG, ANDERSSON, SVEN, AND THORSTRAND, CURT. The pH-dependent excretion of monomethylated tricyclic antidepressants, 826
—. (See Hammer, Mårtens, and Sjöqvist), 44
—. (See Kolmodin, Azarnoff, and Sjöqvist), 638
SMITH, ANTHONY J. (See Lant, Smith, and Wilson), 50
SMITH, GENE M., AND BEECHER, HENRY K. Experimental production of pain in man: Sensitivity of a new method to 600 mg. of aspirin, 213
SMITH, THEODORE C. (See Rouge, Banner, and Smith), 643
SMITH, W. M., THURM, R. H., AND BROMER, L. Comparative evaluation of Rauwolfia whole root and reserpine, 338
SNEDDON, J. M., AND TURNER, PAUL. Ephedrine mydriasis in hypertension and the response to treatment, 64
SNELL, M. McMILLAN. (See Perel et al.), 834
SOLOMON, HARVEY M., ASHLEY, CONSTANCE, SPIRT, NENA, AND ABRAMS, WILLIAM B. The influence of debrisoquin on the accumulation and metabolism of biogenic amines by the human platelet, in vivo and in vitro, 229

—. (See Abrams and Solomon), 702
—. (See Pettinger et al.), 667
SPIEGEL, H. (See Pettinger et al.), 667
SPIRT, NENA. (See Solomon et al.), 229
STOTSKY, BERNARD. (See Greenblatt et al.), 530
SVEDMYR, NILS, HARTHON, LENNART, AND LUNDHOLM, LENNART. The relationship between the plasma concentration of free nicotinic acid and some of its pharmacologic effects in man, 559
SYLWESTER, DAVID. (See MacDonald et al.), 80
TANNENBAUM, PHILIP. (See Maass et al.), 366

T

TAYLOR, CONSTANCE L. (See Orzack, Taylor, and Kornetsky), 258
THORNBY, J. I. (See Gravenstein, Ariet, and Thornby), 660
—. (See Gravenstein and Thornby), 395
THORSTRAND, CURT. (See Sjöqvist et al.), 826
THURM, R. H. (See Smith, Thurm, and Bromer), 338
TSAI, C. T. (See Alley et al.), 515
TURNER, PAUL. (See Sneddon and Turner), 64

V

VON BAUMGARTEN, ALONA M. (See Domino and von Baumgarten), 72

W

WAAL-MANNING, HENDRIKA J. Effect of propranolol on the duration of the Achilles tendon reflex, 199
WALLENSTEIN, STANLEY L. (See Beaver et al.), 314
—. (See Chu et al.), 800
WAY, E. LEONG. (See Berkowitz and Way), 681
—. (See Berkowitz et al.), 320
WEINSTEIN, LOUIS. (See Meyers, Kaplan, and Weinstein), 810
WEISS, PETER, HERSEY, ROSCOE M., DUJOVNE, CARLOS A., AND BIANCHINE, JOSEPH R. The metabolism of amiloride hydrochloride in man, 401
WELCH, R. M., HARRISON, Y. E., CONNEY, A. H., AND BURNS, J. J. An experimental model in dogs for studying interactions of drugs with bishydroxycoumarin, 817
—, HARRISON, Y. E., GOMMI, B. W., POPPERS, P. J., FINSTER, M., AND CONNEY, A. H. Stimulatory effect of cigarette smoking on the hydroxylation of 3,4-benzpyrene and the N-demethylation of 3-methyl-4-monomethylaminoazobenzene by enzymes in human placenta, 100
WHITBY, OWEN. (See Goldstein, Kaizer, and Whitby), 489

WILSON, GRAHAM M. (See Lant, Smith, and Wilson), 50

WOLFF, B. BERTHOLD, KANTOR, THOMAS G., JARVIK, MURRAY E., AND LASKA, EUGENE. Response of experimental pain to analgesic drugs. III. Codeine, aspirin, seco-barbital, and placebo, 217

Y

YÜ, T. F. (See Perel et al.), 834

Z

ZSOTÉR, THOMAS T. (See Nadasdi and Zsotér), 239

Subject index

A

Absorption. *See under specific drug*

Achilles tendon reflex, effect of propranolol on duration (Waal-Manning), 199

Acid, nicotinic, free, plasma concentration, and some of its pharmacologic effects in man, relationship between (Svedmyr, Harthon, and Lundholm), 559

Acids, fatty, serum free, growth hormone, and insulin during trials of ACTH and synthetic subunits (Alley et al.), 515

organic, effect on renal clearance of methotrexate in man (Lieglér et al.), 849

ACTH and synthetic subunits, serum free fatty acids, growth hormone, and insulin during trials (Alley et al.), 515

Adrenergic beta-receptor blockade, perspectives in (Fitzgerald), 292

neuron, human platelet as pharmacologic model for (Abrams and Solomon), 702

Adrenocorticotrophic hormone (ACTH), and synthetic subunits, serum free fatty acids, growth hormone, and insulin during trials (Alley et al.), 515

Alcohol and other drugs, combined effects (Forney and Hughes), (B. rev.), 745

American Drug Index (Wilson and Jones) (B. rev.), 419

Amiloride hydrochloride, metabolism, in man (Weiss et al.), 401

potassium-sparing diuretic, clinical evaluation (Lant, Smith, and Wilson), 50

Amines, biogenic, accumulation and metabolism by human platelet, *in vivo* and *in vitro*, influence of debrisoquin on (Solomon et al.), 229

Amphotericin B on fungal flora in feces, effect (Bodey), 675

Analgesia, morphine, in man, pain as factor in development of tolerance to (Ferguson and Mitchell), 372

Analgesic drugs, response of experimental pain to; codeine, aspirin, secobarbital, and placebo (Wolff et al.), 217

Analgesic—Cont'd

effects of profadol and morphine in patients with cancer, comparison (Beaver et al.), 314

and other effects of *d*- and *l*-isomers of pentazocine (Forrest et al.), 468

and side effects of pentazocine and morphine in large population of postoperative patients (Paddock et al.), 355

Announcements, 132, 284, 421, 743, 901

Anthelmintics, new and old (Brown), 5

Anticoagulant action of warfarin; kinetics of pharmacologic effects in man (Nagashima, O'Reilly, and Levy), 22

Anticonvulsant drugs, new, economics of development, (Richards), 602

Antidepressant and antipsychotic, thiothixene as; broad-spectrum screening of psychotherapeutic drugs (Overall et al.), 36

Antidepressants, monomethylated tricyclic, pH-dependent excretion (Sjöqvist et al.), 826

Antihistamine drugs, new approach to use of histamine skin tests in study (Joubert, Gaut, and Abrams), 250

Antihypertensive efficacy, intestinal absorption, and excretion of guanethidine, comparison in hypertensive patients (Rahn and Goldberg), 858

Antimalarial drugs and collection methods, effect on urinary and plasma 17-hydroxycorticosteroid determinations (Gilliland et al.), 551

Antipsychotic and antidepressant, thiothixene as; broad-spectrum screening of psychotherapeutic drugs (Overall et al.), 36

Antipyrine, decreased plasma half-life, in workers exposed to chlorinated hydrocarbon insecticides; effect of environmental factors on drug metabolism (Kolmodin, Azarnoff, and Sjöqvist), 638

Apomorphine, activated charcoal and, inhibition of aspirin absorption by (Decker et al.), 710

Aspirin absorption, inhibition by activated charcoal and apomorphine (Decker et al.), 710

-induced occult gastrointestinal blood loss in man, reduction or prevention (Leonards and Levy), 571

January-February, pp. 1-146; March-April, pp. 147-286; May-June, pp. 287-430; July-August, pp. 431-596; September-October, pp. 597-754; November-December, pp. 755-922.

Aspirin—Cont'd
 secobarbital, and placebo, codeine and; response of experimental pain to analgesic drugs (Wolff et al.), 217

600 mg., sensitivity of new method to; experimental production of pain in man (Smith and Beecher), 213

Atropine on electrocardiogram (Gravenstein, Ariet, and Thornby), 860

Azathioprine; Imuran (Official lit. new drugs), 136

B

Barbiturates, archaic classification (Mark), 287

Benzpyrene, 3,4-, hydroxylation, and N-demethylation of 3-methyl-4-monomethylaminoazobenzene by enzymes in human placenta, stimulatory effect of cigarette smoking on (Welch et al.), 100

Beta-receptor blockade, adrenergic, perspectives in (Fitzgerald), 292
 -blocking drugs, clinical pharmacology (Dollery, Paterson, and Conolly), 765

Biological basis of medicine, vol. 1 (Bittar and Bittar), (B. rev.), 419; vol. 2 (Bittar) (B. rev.), 587

Biology, regulatory, problems in; spider's web (Reed and Peakall) (B. rev.), 745

Bishydroxycoumarin, drugs with, experimental model in dogs for studying interactions (Welch et al.), 817

Bitoscanate in hookworm disease, clinical trial (Mutalik and Gulati), 635

Blockade, adrenergic beta-receptor, perspectives in (Fitzgerald), 292

Blocking drugs, beta-receptor-, clinical pharmacology (Dollery, Paterson, and Conolly), 765

Blood loss in man, occult gastrointestinal, aspirin-induced, reduction or prevention (Leonards and Levy), 571

Books received, 130, 283, 420, 589, 747, 903

Book reviews, 125, 282, 419, 587, 745, 902

Broad-spectrum screening of psychotherapeutic drugs; thiothixene as antipsychotic and antidepressant (Overall et al.), 36

Burn wound, topical therapy; present status (Moncrief), 439

Butaperazine maleate; Repoise maleate (Official lit. new drugs), 428

C

Caffeine, psychotropic effects in man; quantitative and qualitative differences associated with habituation to coffee (Goldstein, Kaizer, and Whitby), 489
 questionnaire survey of coffee drinking and its effects in a group of housewives (Goldstein and Kaizer), 477

Cancer, comparison of analgesic effects of profadol and morphine in patients with (Beaver et al.), 314

Cardiogenic shock; review (Perlroth and Harrison), 449

Cells, animal, interaction of drugs and subcellular components in (Campbell) (B. rev.), 282

Cephalexin: microbiological effects and pharmacologic parameters in man (Meyers, Kaplan, and Weinstein), 810

Cephaloglycin; crossover absorption studies and clinical evaluation (Perkins, Glontz, and Saslaw), 244

Charcoal, activated, and apomorphine, inhibition of aspirin absorption by (Decker et al.), 710

Chemotherapy, advances (Goldin, Hawking, and Schnitzer) (B. rev.), 126

Chloral betaine, glutethimide, and phenobarbital administration, effects on warfarin plasma levels and hypoprothrombinemic responses in man (MacDonald et al.), 80

Chlorpromazine, comparison of behavioral effects of periodic administration and "sustained-release" form (Orzack, Taylor, and Kornetsky), 258
 -procyclidine and imipramine; effects on thyroid function in psychiatric patients (Blumberg and Klein), 350
 scopolamine and, on REM and NREM sleep in normal male subjects, differential effects (Sagales, Erill, and Domino), 522

Chlorpropamide, study of metabolic fate, in man (Brotherton, Grieveson, and McMartin), 505

Cigarette smoking on hydroxylation of 3,4-benzpyrene and N-demethylation of 3-methyl-4-monomethylaminoazobenzene by enzymes in human placenta, stimulatory effect (Welch et al.), 100
 tobacco, and patellar reflex depression (Domino and von Baumgarten), 72

Circulation, peripheral, effect of meperidine on (Nadasdi and Zsotér), 239

Clever Hans: horse of Mr. von Osten (Pfungst) (B. rev.), 125

Clorexolone, new diuretic, comparison with hydrochlorothiazide (Russell, Macaraeg, and Schrogie), 265

Codeine, aspirin, secobarbital, and placebo; response of experimental pain to analgesic drugs (Wolff et al.), 217

Coffee drinking and its effects in a group of housewives, questionnaire survey; psychotropic effects of caffeine in man (Goldstein and Kaizer), 477

Coffee—Cont'd

habituation to, quantitative and qualitative differences associated with; psychotropic effects of caffeine in man (Goldstein, Kaizer, and Whitby), 489

Contraceptives, oral, past and future (Dodds), 147

Correspondence, 134, 416, 737

Corticosteroid esters, soluble and repository, comparison of absorption, disposal, and activity (Melby and Dale), 344

Counterrolling, ocular, effect of drugs on (Miller and Graybiel), 92

Cytochromes P-450 and b₅ in human liver microsomes (Alvares et al.), 655

D

Debrisoquin, influence on accumulation and metabolism of biogenic amines by human platelet, *in vivo* and *in vitro* (Solomon et al.), 229

selective inhibitor of intraneuronal monoamine oxidase in man (Pettinger et al.), 667

Deferoxamine mesylate; Desferal mesylate (Official lit. new drugs), 595

Demethylation, N-, of 3-methyl-4-monoaminoazobenzene, hydroxylation of 3,4-benzopyrene and, by enzymes in human placenta, stimulatory effect of cigarette smoking on (Welch et al.), 100

Desferal mesylate; deferoxamine mesylate (Official lit. new drugs), 595

Desmethylimipramine, nortriptyline, and oxyphenylbutazone, comparative study of metabolism in man (Hammer, Märtens, and Sjöqvist), 44

Diphenylhydantoin, metabolic disposition in normal human subjects following intravenous administration (Glazko et al.), 498

Disease, hookworm, clinical trial of bitoscanate in (Mutalik and Gulati), 635

renal, metabolism of phenacetin in patients with (Prescott), 383

Diuretic, new, clorexolone, comparison with hydrochlorothiazide (Russell, Macaraeg, and Schrogie), 265

potassium-sparing, amiloride, clinical evaluation (Lant, Smith, and Wilson), 50

therapy, impaired water excretion following (Peña, Ruiz, and Abraham), 110

Doses, effective, experimental designs for estimating (Ott and Myers), 207

Drug(s) action, principles (Goldstein, Aronow, and Sumner) (B. rev.), 902

analgesic, response of experimental pain to; codeine, aspirin, secobarbital, and placebo (Wolff et al.), 217

anticonvulsant, new, economics of development (Richards), 602

Drug(s)—Cont'd

antihistamine, new approach to use of histamine skin tests in study (Joubert, Gaut, and Abrams), 250

antimalarial, and collection methods, effect on urinary and plasma 17-hydroxycorticosteroid determinations (Gilliland et al.), 551

beta-receptor-blocking, clinical pharmacology (Dollery, Paterson, and Corolly), 765

with bishydroxycoumarin, experimental model in dogs for studying interactions (Welch et al.), 817

evaluation, application of metabolic data to (Committee on Problems of Drug Safety), 607

excretion, urinary, in man during oral dosage of different nitrofurantoin formulations (Conklin and Hailey), 534

isolation and identification in pharmaceuticals, body fluids, and post-mortem material (Clarke) (B. rev.), 587

metabolism, effect of environmental factors on; decreased plasma half-life of antipyrine in workers exposed to chlorinated hydrocarbon insecticides (Kolmodin, Azarnoff, and Sjöqvist), 638

misuse and physician education (Palmer), 1

on ocular counterrolling, effect (Miller and Graybiel), 92

psychotherapeutic, broad-spectrum screening; thiothixene as antipsychotic and anti-depressant (Overall et al.), 36

clinical use; current status (Hollister), 170

research, progress in (Jucker) (B. rev.), 745

side effects; survey of unwanted effects reported in 1965-1967 (Meyler and Herxheimer) (B. rev.), 746

studies of interactions, in man, at renal level; probenecid and sulfapyrazone (Perel et al.), 834

and subcellular components in animal cells, interaction (Campbell) (B. rev.), 282

E

Education: need to test efficacy of instructional aspects of clinical pharmacology (Mellon and Morrelli) (Edit.), 431

physician, drug misuse and (Palmer), 1

Electrocardiogram, atropine on (Gravenstein, Ariet, and Thornby), 660

EMTP in obesity, toxic and therapeutic effects (Hollingsworth and Amatruada), 540

Environmental factors, effect on drug metabolism; decreased plasma half-life of antipyrine in workers exposed to chlorinated hydrocarbon insecticides (Kolmodin, Azarnoff, and Sjöqvist), 638

Enzymes in human placenta, stimulatory effect of cigarette smoking on hydroxylation of 3,4-benzopyrene and N-demethylation of 3-methyl-4-monomethylaminoazobenzene by (Welch et al.), 100

Ephedrine mydriasis in hypertension and response to treatment (Sneddon and Turner), 64

Esters, corticosteroid, soluble and repository, comparison of absorption, disposal, and activity (Melby and Dale), 344

Excretion, antihypertensive efficacy, intestinal absorption and, of guanethidine, comparison in hypertensive patients (Rahn and Goldberg), 858

of pentazocine, metabolism and, in man (Berkowitz and Way), 681

pH-dependent, of monomethylated tricyclic antidepressants (Sjöqvist et al.), 826

urinary, clinical response, plasma levels and, during initial attack of naturally acquired falciparum malaria; quinine, pyrimethamine, and sulphorthodimethoxine (Brooks et al.), 85

drug, in man, during oral dosage of different nitrofurantoin formulations (Conklin and Hailey), 534

water, impaired, following diuretic therapy (Peña, Ruiz, and Abraham), 110

Experiments and reports (Parkhouse) (Edit.), 597

F

Falciparum malaria, naturally acquired, clinical response, plasma levels, and urinary excretion during initial attack; quinine, pyrimethamine, and sulphorthodimethoxine (Brooks et al.), 85

Fatty acids, serum free, growth hormone, and insulin during trials of ACTH and synthetic subunits (Alley et al.), 515

Feces, fungal flora in, effect of amphotericin B on (Bodey), 675

Flora, fungal, in feces, effect of amphotericin B on (Bodey), 675

G

Gastrointestinal blood loss in man, occult, aspirin-induced, reduction or prevention (Leonards and Levy), 571

Glutethimide, phenobarbital, chloral betaine and, effects of administration on warfarin plasma levels and hypoprothrombinemic responses in man (MacDonald et al.), 80

Guanethidine, comparison of antihypertensive efficacy, intestinal absorption, and excretion in hypertensive patients (Rahn and Goldberg), 858

H

Heart rates, in man, scopolamine on (Gravenstein and Thornby), 395

Heparin, retrospective study of pharmacokinetics (Estes, Pelikan, and Krüger-Thiener), 329

Histamine skin tests in study of antihistamine drugs, new approach to use (Joubert, Gaut, and Abrams), 250

Hookworm disease, clinical trial of bitoscanate in (Mutalik and Gulati), 635

Hormone, growth, serum free fatty acids, and insulin during trials of ACTH and synthetic subunits (Alley et al.), 515

Hydrea; Squibb Hydroxyurea (Official lit. new drugs), 142

Hydrocarbon insecticides, chlorinated, decreased plasma half-life of antipyrine in workers exposed to; effect of environmental factors on drug metabolism (Kolmodin, Azarnoff, and Sjöqvist), 638

Hydrochlorothiazide, comparison of clorexolone, new diuretic, with (Russell, Macaraeg, and Schrogie), 265

Hydroxcorticosteroid, 17-, determinations, urinary and plasma, effect of antimalarial drugs and collection methods on (Gilliland et al.), 551

Hydroxylation of 3,4-benzopyrene and N-demethylation of 3-methyl-4-monomethylaminoazobenzene by enzymes in human placenta, stimulatory effect of cigarette smoking on (Welch et al.), 100

Hypertension, ephedrine mydriasis in, and response to treatment (Sneddon and Turner), 64

pathogenesis, and implications for its therapeutic management (Grollman), 755

Hypertensive patients, comparison of antihypertensive efficacy, intestinal absorption, and excretion of guanethidine in (Rahn and Goldberg), 858

Hypoglycaemic agents, oral: pharmacology and therapeutics (Campbell) (B. rev.), 903

Hypoprothrombinemic responses and warfarin plasma levels, in man, effects of phenobarbital, chloral betaine, and glutethimide administration on (MacDonald et al.), 80

I

Imipramine, chlorpromazine-procyclidine and; effects on thyroid function in psychiatric patients (Blumberg and Klein), 350

Imuran; azathioprine (Official lit. new drugs), 136

Indolealkylamine derivatives, biological role; advances in pharmacology (Garattini and Shore) (B. rev.), 128

Insecticides, chlorinated hydrocarbon, decreased plasma half-life of antipyrine in workers exposed to; effect of environmental factors on drug metabolism (Kolmodin, Azarnoff, and Sjöqvist), 638

Insulin, serum free fatty acids, growth hormone and, during trials of ACTH and synthetic subunits (Alley et al.), 515

Intestinal absorption, antihypertensive efficacy, and excretion of guanethidine, comparison in hypertensive patients (Rahn and Goldberg), 858

Isomers, *d*- and *l*-, of pentazocine, analgesic and other effects (Forrest et al.), 468

Isoniazid, six commercial formulations, study of availability (Gelber, Jacobsen, and Levy), 841

K

Kanamycin pharmacokinetics, relationship between; distribution and renal function (Orme and Cutler), 543

Karnofsky, David; obituary (Announcement), 901

Kinetics of pharmacologic effects in man; antipsychotic action of warfarin (Nagashima, O'Reilly, and Levy), 22

L

Levallorphan and meperidine, interactions (Rouge, Banner, and Smith), 643

Liver microsomes, human, cytochromes P-450 and b₅ in (Alvares et al.), 655

M

Magnesium pemoline and job performance in mentally handicapped workers (Greenblatt et al.), 530

Malaria, falciparum, naturally acquired, clinical response, plasma levels, and urinary excretion during initial attack; quinine, pyrimethamine, and sulphorhodimethoxine (Brooks et al.), 85

Medicine, biological basis, vol. 1 (Bittar and Bittar) (B. rev.), 419; vol. 2 (Bittar) (B. rev.), 587

Mentally handicapped workers, magnesium pemoline and job performance in (Greenblatt et al.), 530

Meperidine, levallorphan and, interactions (Rouge, Banner, and Smith), 643

on peripheral circulation, effect (Nadasdi and Zsotér), 239

Merck Index (Sticher) (B. rev.), 282

Metabolism. See under specific drugs

Methotrexate, renal clearance in man, effect of organic acids on (Liegler et al.), 849

Metopimazine and perphenazine, controlled clinical study in treatment of radiation nausea and vomiting (Chu et al.), 800

Microsomes, human liver, cytochromes P-450 and b₅ in (Alvares et al.), 655

Monoamine oxidase, debrisoquin, selective inhibitor in man (Pettinger et al.), 667

Monomethylaminoazobenzene, 3-methyl-4, N-demethylation, hydroxylation of 3,4-benzpyrene and, by enzymes in human placenta, stimulatory effect of cigarette smoking on (Welch et al.), 100

Monomethylated tricyclic antidepressants, pH-dependent excretion (Sjöqvist et al.), 826

Morphine analgesia, in man, pain as factor in development of tolerance to (Ferguson and Mitchell), 372

pentazocine and, analgesic and side effects in large population of postoperative patients (Paddock et al.), 355

profadol and, in patients with cancer, comparison of analgesic effects (Beaver et al.), 314

Mydriasis, ephedrine, in hypertension and response to treatment (Sneddon and Turner), 64

N

Nausea and vomiting, radiation, controlled clinical study of metopimazine and perphenazine in treatment (Chu et al.), 800

Neuron, adrenergic, human platelet as pharmacologic model for (Abrams and Solomon), 702

Nicotinic acid, free, plasma concentration, and some of its pharmacologic effects in man, relationship between (Svedmyr, Harthon, and Lundholm), 559

Nitrofurantoin formulations, different, urinary drug excretion in man during oral dosage (Conklin and Hailey), 534

Nortriptyline, oxyphenylbutazone, and desmethyl-imipramine, comparative study of metabolism in man (Hammer, Mårtens, and Sjöqvist), 44

O

Obesity, EMTP in, toxic and therapeutic effects (Hollingsworth and Amatruda), 540

Obituary; David Karnofsky (Announcement), 901

Ocular counterrolling, effect of drugs on (Miller and Graybiel), 92

Official literature on new drugs, 136, 142, 285, 423, 428, 591, 595, 749, 904

Oral contraceptives, past and future (Dodds), 147

Organic acids, effect on renal clearance of methotrexate in man (Liegler et al.), 849

Oxyphenylbutazone, desmethylimipramine, nortriptyline and, comparative study of metabolism in man (Hammer, Mårtens, and Sjöqvist), 44

P

Pain, experimental, response to analgesic drugs; codeine, aspirin, secobarbital, and placebo (Wolff et al.), 217

as factor in development of tolerance to morphine analgesia in man (Ferguson and Mitchell), 372

in man, experimental production; sensitivity of new method to 600 mg. of aspirin, (Smith and Beecher), 213

Patellar reflex depression, tobacco cigarette smoking and (Domino and von Baumgarten), 72

Pemoline, magnesium, and job performance in mentally handicapped workers (Greenblatt et al.), 530

Pentapiperide methylsulfate; Quilene (Official lit. new drugs), 904

Pentazocine, *d*- and *l*-isomers, analgesic and other effects (Forrest et al.), 468

metabolism and excretion in man (Berkowitz and Way), 681

and morphine, analgesic and side effects in large population of postoperative patients (Paddock et al.), 355

plasma levels, relationship to pharmacological activity in man (Berkowitz et al.), 320

Perphenazine, metopimazine and, controlled clinical study in treatment of radiation nausea and vomiting (Chu et al.), 800

pH-dependent excretion of monomethylated tricyclic antidepressants (Sjöqvist et al.), 826

Pharmacokinetics, kanamycin, relationship between; distribution and renal function (Orme and Cutler), 543

Pharmacological principles and practice (Paton and Payne) (B. rev.), 127

Pharmacology, advances in; biological role of indolealkylamine derivatives (Garattini and Shore) (B. rev.), 128

annual review (Elliott) (B. rev.), 589

applied (Wilson and Schild) (B. rev.), 127

clinical, of beta-receptor-blocking drugs (Doherty, Paterson, and Conolly), 765

need to test efficacy of instructional aspects (Melmon and Morrelli) (Edit.), 431

recent advances (Robson and Stacey) (B. rev.), 589

Phenacetin in patients with renal disease, metabolism (Prescott), 383

Phenobarbital, chloral betaine, and glutethimide administration, effects on warfarin plasma levels and hypoprothrombinemic responses in man (MacDonald et al.), 80

Physiology, annual review (Hall, Giese, and Sonnenschein) (B. rev.), 588

Phytotoxicology; major problems associated with poisonous plants (Kingsbury), 163

Piperacetazine; Quide tablets (Official lit. new drugs), 749

Placenta, human, enzymes in, stimulatory effect of cigarette smoking on hydroxylation of 3,4-benzpyrene and N-demethylation of 3-methyl-4-monomethylaminobenzene by (Welch et al.), 100

Plants, poisonous, major problems associated with; phytotoxicology (Kingsbury), 163

Plasma concentration of free nicotinic acid and some of its pharmacologic effects in man, relationship between (Svedmyr, Harthon, and Lundholm), 559

half-life of antipyrine, decreased, in workers exposed to chlorinated hydrocarbon insecticides; effect of environmental factors on drug metabolism (Kolmodin, Azarnoff, and Sjöqvist), 638

levels, clinical response, and urinary excretion during initial attack of naturally acquired falciparum malaria; quinine, pyrimethamine, and sulphorthodimethoxine (Brooks et al.), 85

pentazocine, relationship to pharmacological activity in man (Berkowitz et al.), 320

warfarin, and hypoprothrombinemic responses in man, effects of phenobarbital, chloral betaine, and glutethimide administration on (MacDonald et al.), 80

17-hydroxycorticosteroid determinations, urinary and, effect of antimalarial drugs and collection methods on (Gilliland et al.), 551

Platelet, human, accumulation and metabolism of biogenic amines in vivo and in vitro by, influence of debrisoquin on (Solomon et al.), 229

as pharmacologic model for adrenergic neuron (Abrams and Solomon), 702

Poisonous plants, major problems associated with; phytotoxicology (Kingsbury), 163

Potassium-sparing diuretic, amiloride, clinical evaluation (Lant, Smith, and Wilson), 50

Probenecid and sulfinpyrazone; studies of interactions among drugs in man at renal level (Perel et al.), 834

Procyclidine, chlorpromazine, and imipramine; effects on thyroid function in psychiatric patients (Blumberg and Klein), 350

Profadol and morphine in patients with cancer, comparison of analgesic effects (Beaver et al.), 314

Propranolol, effect on duration of Achilles tendon reflex (Waal-Manning), 199

Psychopharmacology, review of progress (Efron) (B. rev.), 588

Psychotherapeutic drugs, broad-spectrum screening; thiothixene as antipsychotic and antidepressant (Overall et al.), 36

clinical use; current status (Hollister), 170

Psychotropic effects of caffeine in man; quantitative and qualitative differences associated with habituation to coffee (Goldstein, Kaizer, and Whitby), 489 questionnaire survey of coffee drinking and its effects in a group of housewives (Goldstein and Kaizer), 477

Pyrimethamine, quinine, and sulphorthodimethoxine; clinical response, plasma levels, and urinary excretion during initial attack of naturally acquired falciparum malaria (Brooks et al.), 85

Q

Quide tablets; piperacetazine (Official lit. new drugs), 749

Quilene; pentapipeptide methylsulfate (Official lit. new drugs), 904

Quinine, pyrimethamine, and sulphorthodimethoxine; clinical response, plasma levels, and urinary excretion during initial attack of naturally acquired falciparum malaria (Brooks et al.), 85

R

Radiation nausea and vomiting, controlled clinical study of metopimazine and perphenazine in treatment (Chu et al.), 800

Rapid eye movements: differential effects of scopolamine and chlorpromazine on REM and NREM sleep in normal male subjects (Sagales, Erill, and Domino), 522

Rauwolfia whole root and reserpine, comparative evaluation (Smith, Thurm, and Broemer), 338

Receptor, beta-, blockade, adrenergic, perspectives in (Fitzgerald), 292
-blocking, beta-, drugs, clinical pharmacology (Dollery, Paterson, and Conolly), 765

Reflex, Achilles tendon, effect of propranolol on duration (Waal-Manning), 199

patellar, depression, tobacco cigarette smoking and (Domino and von Baumgarten), 72

REM and NREM sleep in normal male subjects, differential effects of scopolamine and chlorpromazine on (Sagales, Erill, and Domino), 522

Renal clearance of methotrexate in man, effect of organic acids on (Liegler et al.), 849

disease, metabolism of phenacetin in patients with (Prescott), 383

function, distribution and; relationship between kanamycin pharmacokinetics (Orme and Cutler), 543

level, studies of interactions of drugs in man at; probenecid and sulfinpyrazone (Perel et al.), 834

Repose maleate; butaperazine maleate (Official lit. new drugs), 428

Reserpine, ³H-, studies on absorption, excretion, and metabolism, in man (Maass et al.), 366

Rauwolfia whole root and, comparative evaluation (Smith, Thurm, and Broemer), 338

S

Scopolamine and chlorpromazine on REM and NREM sleep in normal male subjects, differential effects (Sagales, Erill, and Domino), 522

on heart rates in man (Gravenstein and Thornby), 395

Secobarbital, and placebo, codeine, aspirin and; response of experimental pain to analgesic drugs (Wolff et al.), 217

Serum, biologic half-life in, influence of repetitive dosing of tetracyclines on (Doluisio and Dittert), 690

free fatty acids, growth hormone, and insulin during trials of ACTH and synthetic subunits (Alley et al.), 515

Shock, cardiogenic; review (Perlroth and Harrison), 449

Skin tests, histamine, in study of antihistamine drugs, new approach to use (Joubert, Gaut, and Abrams), 250

Sleep, REM and NREM, in normal male subjects, differential effects of scopolamine and chlorpromazine on (Sagales, Erill, and Domino), 522

Smoking, cigarette, on hydroxylation of 3,4-benzopyrene and N-demethylation of 3-methyl-4-monomethylaminoazobenzene by enzymes in human placenta, stimulatory effect (Welch et al.), 100

Smoking—Cont'd
 tobacco cigarette, and patellar reflex depression (Domino and von Baumgarten), 72

Sodium dicloxacillin monohydrate; Veracillin (Official lit. new drugs), 285

Spider's web; problems in regulatory biology (Reed and Peakall), (B. rev.), 745

Squibb Hydroxyurea; Hydrea (Official lit. new drugs), 142

Statistical solution to ethical problem (Bross et al.), 307
 ward rounds (Mainland), 118, 272, 407, 576, 714, 867

Statistics: is difference statistically significant—innocent request for quack treatment (Mainland), 436

Sulfameter; Sulla (Official lit. new drugs), 591

Sulfapyrazone, probenecid and; studies of interactions among drugs in man at the renal level (Perel et al.), 834

Sulla; sulfameter (Official lit. new drugs), 591

Sulphorthodimethoxine, quinine, pyrimethamine and, clinical response, plasma levels, and urinary excretion during initial attack of naturally acquired falciparum malaria (Brooks et al.), 85

T

Tetracyclines, influence of repetitive dosing on biologic half-life in serum (Doluisio and Dittert), 690

Thiothixene as antipsychotic and antidepressant; broad-spectrum screening of psychotherapeutic drugs (Overall et al.), 36

Thyroid function in psychiatric patients; effects of chlorpromazine-procyclidine and imipramine on (Blumberg and Klein), 350

Tobacco cigarette smoking and patellar reflex depression (Domino and von Baumgarten), 72

Tolazamide; Tolinaze (Official lit. new drugs), 423

Tolinaze; tolazamide (Official lit. new drugs), 423

Topical therapy of burn wound; present status (Moncrief), 439

Toxic and therapeutic effects of EMTP in obesity (Hollingsworth and Amatrua), 540

Toxicology of commercial products, clinical (Gleason et al.) (B. rev.), 419

U

Urinary drug excretion in man during oral dosage of different nitrofurantoin formulations (Conklin and Hailey), 534
 excretion, clinical response, plasma levels and, during initial attack of naturally acquired falciparum malaria; quinine, pyrimethamine, and sulphorthodimethoxine (Brooks et al.), 85
 and plasma 17-hydroxycorticosteroid determinations, effect of antimalarial drugs and collection methods on (Gilliland et al.), 551

V

Veracillin; sodium dicloxacillin monohydrate (Official lit. new drugs), 285

Vomiting, nausea and, radiation, controlled clinical study of metopimazine and perphenazine in treatment (Chu et al.), 800

W

Warfarin, anticoagulant action; kinetics of pharmacological effects in man (Nagashima, O'Reilly, and Levy), 22
 plasma levels and hypoprothrombinemic responses in man, effects of phenobarbital, chloral betaine, and glutethimide administration on (MacDonald et al.), 80

